

Revision number: 1 Purchasing Agent: Debbie Gundersen

Item: WIRELESS LAND MOBILE & PORTABLE RADIOS FOR UCAN CUSTOMERS

Vendor: 94724A EF JOHNSON COMPANY

299 JOHNSON AVE. WASECA MN 56093

Internet Homepage: www.efjohnson.com

Telephone: (507) 835-6211

Fax number: (507) 835-6485

Contact: TOM HOLTMAN

Email address: tholtman@efjohnson.com

Brand/trade name: EF JOHNSON CO.

Price: SEE ATTACHED PRICE LIST

Terms: NET 30 DAYS

Effective dates: 02/09/01 through 02/08/04
Days required for delivery: 3 TO 45 DAYS ARO

Price guarantee period:

Minimum order: \$100 RADIO AND ACCESSORIES OR \$25.00 REPLACEMENT PARTS

Min shipment without charges:

Other conditions:

Renewal options: Two (2), Two(2) year renewal options.

PLEASE NOTE: NEW MODELS & ACCESSORIES ON PAGE 2. MODEL 5000 DISCONTINUED, REPLACED BY MODEL 5100. EFFECTIVE DATES EXTENDED.

This statewide contract is an "AR" (authorization required) contract. Authorization is required before purchase can be made. The authorization requirements and procedure is detailed in the attachment to the contract. Orders may be placed only after authorization is received.

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.

Authorization Required: The contract for 800 radio equipment and infrastructure components is a system purchase contract which is administered by the Utah Communications Agency Network (UCAN) EST by the Utah Legislature in 1997. Details of the legislation are located in the Utah State Code annotated 63-38-2. All 800 MHzPurchases from this contract must be coordinated through the executive committee of UCAN as currently established by the code. Please contact Steve Proctor, (801) 965-4968, for guidance.



State of Utah Amendment to Contract AR1293

Page 1 Date: 02/07/03

6.00

27.00

PART NUMBER	PRODUCT NAME/ ITEM DESCRIPTION	UNIT PRICE				
	5100 SERIES PORTABLES					
DESCRIPTION: The 51	.00 portable allows communication in conventional mode, SMARTNET II, or Sma	rtZone analog or digital				
	els offer (3) watts transmitter power, 806-870 MHz; 256 talkgroups/channels capa	0 0				
	$battery, antenna, belt clip. \ SmartZone \ models \ include \ zone \ fail-site \ lock \ feature.$	-				
SMARTNET II Model	<u>ls</u>					
242-5182-810-DA	800 MHz, Analog w/ Limited Keypad	1455.00				
242-5183-810-DA	800 MHz, Analog w/ DTMF Keypad	1615.00				
242-5183-810-EB	800 MHz, Mixed Mode Analog/Digital w/DTMF Keypad	1883.00				
SmartZone Models						
242-5182-810-FH	800 MHz w/ Limited Keypad & Zone Fail-Site Lock	1745.00				
242-5183-810-FH	800 MHz w/ DTMF Keypad & Zone Fail-Site Lock	1906.00				
242-5183-810-FG	Mixed Mode Analog/Digital, w/DTMF Keypad, Zone Fail-Site Lock	2174.00				
242-5183-810-FI	Mixed Mode Analog/Digital, DES-OFB Encryption, w/DTMF, ZFSL	2636.00				
Option 06	Add STAR - SmartZone Transfer Area Roaming to above	124.00				
Option 17	Add 244 Talkgroups/Channels for 500 Talkgroups/Chns to above	124.00				
	5100 SERIES PORTABLE ACCESSORIES					
CARRYING ACCESS						
585-5100-128	Belt Clip 2 1/2" (standard) spring loaded	10.00				
585-5100-130	Leather 2.5" Belt Loop w/D-Swivel Attachment	10.00				
585-5100-132	Leather 3" Belt Loop w/D-Swivel Attachment	10.00				
585-5100-120	Leather Case w/belt loop	45.50				
585-5100-122	Leather Case w/3" D-Swivel Belt Loop Attachment	45.50				
585-5100-125	Nylon Case w D-Swivel & Belt Loop	39.00				
AUDIO ACCESSORI						
589-0015-057	Speaker Microphone/2.5 mm earphone jack	85.00				
589-0015-059	Lightweight Headset/ In-Line PTT, 3.5mm plug(requires -051 adapter)	73.00				
589-5100-055	Palm Microphone Kit/3.5 mm threaded plug(requires -051 adapter)	150.00				
589-5100-057	Coil Cord Earphone/ Right Angle 2.5 Plug(requires 589-0015-057)	45.50				
589-5100-059	Coil Cord Earphone/ Straight Plug 2.5mm plug(requires 589-0015-057)	45.50				
589-5100-053	1-Wire Earphone Kit, 3.5mm plug(requires 589-5100-051)	53.00				
589-5100-051	EarphoneHeadset Adapter w/3.5 mm plug	56.00				
ANTENNA	006 050 MV 4/9 WV PI 1	10.50				
501-0105-013	806-870 MHz, 1/2 Wave Black	19.50				
<u>BATTERIES</u>		-7.00				
587-5100-360	3600 mAHr 'A' NiMH, standard	65.00				
POWER SUPPLY'S/C						
250-5100-210	Single Unit Rapid Desktop Charger Kit w/switching Power Supply	75.00				
250-5100-215	Single Unit Charger/Conditioner Kit w/Switch Power Supply	85.00				
585-5100-210	Single Unit Rapid Desktop Charger Base (no power supply)	98.00				
585-5100-215	Single Unit Charger/Conditioner Base (no power supply)	117.00				
585-5100-230	Switching PS 15V, 1.3A (120/230V) for -210/-215 Chargers	30.00				
250-5100-240	4-Unit Rapid Charger w/Power Supply	358.00				
250-5100-245	4-Unit Rapid Charger/Conditioner w/Power Supply	377.00				
ENCRYPTION ACCI		2275.00				
585-5000-930	DES Key Loader	2275.00				
585-5000-932 585-5000-034	Key Loader Charger	179.00				
585-5000-934 585-5000-036	Key Loader Charger	293.00				
585-5000-936	Key Loader Spare Battery	81.00				
PROGRAMMING AC		222.00				
250-5100-003 023-9998-488	PC Configure Programming Kit(cable, software, & manual on CD) PC Configure Programming Software (CD only)	322.00				
043-7770-400	1 Comiguie Flogramming Software (CD 0111y)	163.00				

002-5100-001

001-5100-001CD

MANUALS AND FACTORY SERVICES

Quick Start Guide

Service Manual



State of Utah Amendment to **Contract AR1293**

Page 2 Date: 02/07/03

PART NUMBER	PRODUCT NAME/ ITEM DESCRIPTION	UNIT PRICE			
7780 SERIES PORTABLES					
DESCRIPTION: The 7780 portable allows communication in conventional mode, SMARTNET II, or SmartZone analog mode. 800 MHz models offer (3) watts transmitter power, 806-870 MHz; 256 talkgroups/channels capability. Models w/-A include rapid charger, battery, antenna, belt clip. SmartZone models include zone fail-site lock feature.					
SMADTNET II Models					
<u>SMARTNET II Models</u> 242-7780-302-A	3-key, rapid charger, battery, antenna, & belt clip	790.00			
242-7780-302-A 242-7780-302					
	Radio only, w/o rapid charger	712.00			
242-7780-303-A	DTMF keypad, rapid charger, battery, antenna, & belt clip	790.00			
242-7780-303	Radio only, no rapid chager	712.00			
SmartZone Models	DTME1 1 11 1 /7 F 16', I 1	1002.00			
242-7780-503-D	DTMF keypad, rapid charger, w/ Zone Fail-Site Lock	1083.00			
242-7780-503-C	Radio only, w/o rapid charger, with Zone Fail-Site Lock	1005.00			
Intrinsically Safe Option	-	10.00			
242-7781-xxx	Add Intrinsically safe option for any 7780 model.	19.00			
GARRANIC - COTTO	7780 SERIES PORTABLE ACCESSORIES				
CARRYING ACCESSO					
585-5000-052	Leather case w/ D-Swivel	35.00			
023-8790-130	Belt Loop for D-Swivel	17.00			
250-5810-123	D-Swivel for attachment to radio	29.00			
585-5000-054	Belt Clip	16.00			
AUDIO ACCESSORIE	<u>s</u>				
589-0015-047	Speaker Microphone w/coil cord, heavy-duty	81.00			
589-0015-048	Lightweight Headset/ In-Line PTT	97.00			
585-5000-051	Earphone adapter	31.00			
589-9003-004	Earphone (for 589-005-047 & 585-5000-051)	12.00			
250-0881-003	Heavy-duty earphone w/coil cord	62.00			
ANTENNA					
585-5000-053	Replacement 800 MHz antenna	33.00			
BATTERIES					
587-8150-135	Nickle metal hydride battery	62.00			
587-8150-136	Intrinsically safe, nickle metal hydride battery	98.00			
585-5020-031	Battery eliminator	62.00			
CHARGERS & POWE	R SUPPLIES				
585-5020-020	Desktop Rapid Charger Base (please order power supply)	55.00			
585-5020-021	Power Supply, 120 VAC for -020 base	25.00			
888-3505-001	Six-Unit Rapid Charger including Power Supply	450.00			
PROGRAMMING ACC	CESSORIES				
250-7780-002	PC Configure Programming Kit(cable, software, & manual on CD)	322.00			
023-9800-000	RPI Box only	181.00			
597-2002-122	Programming Cable, RPI to Radio	64.00			
023-9998-488	PC Configure Programming Software (CD only)	163.00			
MANUALS	<u> </u>				
001-7780-500	Service Manual	27.00			
002-7780-500	Operator Manual	9.00			
002-7781-500	Intrinsically-safe model Operator Manual	9.00			



State of Utah Amendment to Contract AR1293

Page 3
Date: 02/07/03

PART NUMBER	PRODUCT NAME/ ITEM DESCRIPTION	UNIT PRICE		
	5300 SERIES MOBILES			
DESCRIPTION: The 5300 mobile allows communication in conventional mode, SMARTNET II, or SmartZone and/or digital				
mode. 800 MHz models offer (35) watts transmitter power, 806-870 MHz; 256 talkgroups/channels capability.				
	ne, mounting bracket, hardware, and power cables. SmartZone mo	dels include zone fail-site lock feature.		
SMARTNET II Models		2025.00		
5387-11-11	Dash mount, six-button standard control head	2035.00		
5388-21-11	Remote mount, six-button standard control head	2293.00		
SmartZone Models (an		2226.00		
5387-11-12-50	Dash mount, six-button standard control head, w/ZFSL	2326.00		
5388-21-12-50	Remote mount, six-button standard control head, w/ZFSL	2454.00		
5388-31-12-50	Dual control heads, (1) dash-mt. & (1) remote mount, w/ZFSL	2633.00		
5387-71-12-50	Hand-held controller, remote mount transceiver, w/ZFSL	3003.00		
Mixed Mode Digital &		2172.00		
5387-11-22	Digital SMARTNET II, dash mount, six-button control head	2172.00		
5388-21-22	Digital SMARTNET II, remomte mount six-button control head			
5387-11-22-50	Digital SmartZone, dash mount, six-button contol head, w/ZFSL			
5388-21-22-50	Digital SmartZone, remote mount, six-button control head, w/ZFSL	2720.00		
5387-31-22-50	SmartZone, dual control (1) dash mt. & (1) remote mt., w/ZFSL			
5388-71-22-50	SmartZone, hand-held controller, remote mount transceiver, w/Z	ZFSL 3140.00		
Software Control Optio		117.00		
Option 06	Add STAR - SmartZone Transfer Area Roaming to above SZ m			
Option 10	Add Project 25 DES-OFB Encryption to 5300 models	488.00		
MICE OPHONE AND	5300 SERIES MOBILE ACCESSORIES			
	IO & HARDWARE ACCESSORIES	65.00		
250-0740-310	Standard Palm Microphone	65.00		
250-5300-101	Hand-held Controller Kit, for use w/remote mount transceiver	582.00		
250-0151-005	5" Speaker for use w/Hand-held Controller	32.00		
250-0742-013	Desktop Microphone	150.00		
250-0151-006	5" Remote speaker, environmental sealed	35.00		
023-9750-010	Mounting Hardware and 22' DC Cable	26.00		
023-9750-011	Accessory Wire Kit (required for horn honk & ignition sense)	12.00		
023-9750-012	Standard Transceiver Mounting Bracket	10.00		
585-7000-185	Remote Transceiver Mounting Tray, Lockable	29.00		
<u>ANTENNA</u>	906 970 MHz 1/2 W Dll-	35.00		
585-1155-011	806-870 MHz, 1/2 Wave Black	35.00		
CONTROL STATION		105.00		
585-4001-202	15 Amp 120 volt Power Supply	195.00		
ENCRYPTION ACCE	SSORIES			
585-5000-930	DES Key Loader	2275.00		
585-5000-938	Key Loader Cable	179.00		
585-5000-934	Key Loader Charger	293.00		
585-5000-936	Key Loader Spare Battery	81.00		
PROGRAMMING AC				
250-5000-004	PC Configure Programming Kit(cable, software, & manual on C	CD) 322.00		
023-5300-000	RPI Box	181.00		
023-5300-005	RPI to Radio Programming Cable	64.00		
023-9998-488	PC Configure Programming Software (CD only)	163.00		
MANUALS				
002-5300-005	Operator Manual	9.00		
001-5300-003	Service Manual	27.00		
		27.00		



PART NUMBER

State of Utah Amendment to Contract AR1293

PRODUCT NAME/ ITEM DESCRIPTION

Page 4
Date: 02/07/03

UNIT PRICE

9800 SERIES MOBILES					
DESCRIPTION: The 9800 mobile allows communication in conventional mode, SMARTNET II, or SmartZone analog					
mode. 800 MHz models offer two transmitter power ranges either (2-15) or (10-30) watts, 256 talkgroups/channels					
Models include microphone, mounting bracket, hardware, and power cables. SmartZone models include zone fail-site lock					
•	842.00				
	712.00				
	1232.00				
•	1102.00				
	1135.00				
· · · · · · · · · · · · · · · · · · ·	1193.00				
	1005.00				
	1063.00				
	1525.00				
	1395.00				
9800 SERIES MOBILE ACCESSORIES					
JDIO & HARDWARE ACCESSORIES					
Standard Palm Microphone	47.00				
DTMF Microphone	137.00				
WR 805 DTMF Microphone (water-resistant)	209.00				
Desktop Microphone	121.00				
5" Remote speaker	31.00				
Std. Transceiver mounting bracket	7.00				
Low-profile Transceiver mounting bracket	7.00				
Mounting hardware Kit	7.00				
10' DC Power Cable & Hardware Kit	13.00				
22' DC Power Cable & Hardware Kit	21.00				
Remote Control Pigtail Cable	163.00				
Accessory Wire Kit (required for ignition sense & horn honk)	12.00				
Accessory Pigtail Cable Kit (also required for ignition sense & HH)	35.00				
11' Extension Control Cable (for remote transceiver mounting)	273.00				
Remote Control Conversion Kit (converts dash mt to single remote CH)	344.00				
806-870 MHz, 1/2 Wave Black	13.50				
ON ACCESSORIES					
	195.00				
11.7	-				
ACCESSORIES					
	322.00				
RPI Box	181.00				
RPI to Radio Programming Cable	31.00				
PC Configure Programming Software (CD only)	163.00				
Operator Manual	9.00				
9800 Platform Radio Service Manual on CD	27.00				
	27.00				
	9800 mobile allows communication in conventional mode, SMARTNET In dels offer two transmitter power ranges either (2-15) or (10-30) watts, 25 rophone, mounting bracket, hardware, and power cables. SmartZone models in feature. els (analog only) Dash mount, 10-30 watt Remote mount, 10-30 watt Remote mount, 2-15 watt Remote mount, 10-30 watt, w/Zone Fail-Site Lock feature Dash mount, 10-30 watt, factory installed ignition sense, ZFSL Dash mount, 2-15 watt, w/Zone Fail-Site Lock feature Dash mount, 2-15 watt, w/Zone Fail-Site Lock feature Dash mount, 10-30 watt, factory installed ignition sense, ZFSL Remote mount, 10-30 watt, w/Zone Fail-Site Lock feature Pass mount, 2-15 watt, w/Zone Fail-Site Lock feature Pass Mobile Accessories Double Hardware Accessories Dio & Hardware Accessories Dio & Hardware Accessories Standard Palm Microphone DTMF Microphone WR 805 DTMF Microphone (water-resistant) Desktop Microphone 5" Remote speaker Std. Transceiver mounting bracket Low-profile Transceiver mounting bracket Mounting hardware Kit 10' DC Power Cable & Hardware Kit 22' DC Power Cable & Hardware Kit Remote Control Pigtail Cable Accessory Wire Kit (required for ignition sense & horn honk) Accessory Pigtail Cable Kit (also required for ignition sense & HH) 11' Extension Control Cable (for remote transceiver mounting) Remote Control Conversion Kit (converts dash mt to single remote CH) 806-870 MHz, 1/2 Wave Black DN ACCESSORIES 15 Amp 120 volt Power Supply **CCESSORIES** PC Configure Programming Kit(cable, software, & manual on CD) RPI Box RPI to Radio Programming Software (CD only)				



Finet Commodity Code(s): 72574000000-Two-Way Radio, Portable, Including Vehicle Radio Relay Systems. 72578000000-Two-Way Radio Receivers, Transmitters, Transceivers: Mobile and Base Station(Audio Transfer) 72527000000-Radio, High Frequency (SSB) Mobile and Base